



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

TREASURY DEPARTMENT

PUBLIC HEALTH REPORTS

ISSUED WEEKLY

BY THE

UNITED STATES PUBLIC HEALTH SERVICE

CONTAINING INFORMATION OF THE CURRENT
PREVALENCE OF DISEASE, THE OCCURRENCE
OF EPIDEMICS, AND RELATED SUBJECTS

VOLUME 34

NUMBER 8

FEBRUARY 21, 1919



WASHINGTON
GOVERNMENT PRINTING OFFICE
1919

UNITED STATES PUBLIC HEALTH SERVICE.

RUPERT BLUE, *Surgeon General.*

DIVISION OF SANITARY REPORTS AND STATISTICS.

Asst. Surg. Gen. B. S. WARREN, *Chief of Division.*

The PUBLIC HEALTH REPORTS are issued weekly by the United States Public Health Service through its Division of Sanitary Reports and Statistics, pursuant to acts of Congress approved February 15, 1893, and August 14, 1912.

They contain: (1) Current information of the prevalence and geographic distribution of preventable diseases in the United States in so far as data are obtainable, and of cholera, plague, smallpox, typhus fever, yellow fever, and other communicable diseases throughout the world. (2) Articles relating to the cause, prevention, or control of disease. (3) Other pertinent information regarding sanitation and the conservation of the public health.

The PUBLIC HEALTH REPORTS are intended primarily for distribution to health officers, members of boards or departments of health, and those directly or indirectly engaged in or connected with public health or sanitary work. Articles of general or special interest are issued as reprints from the PUBLIC HEALTH REPORTS or as supplements, and in these forms are available for general distribution to those desiring them.

Requests for and communications regarding the PUBLIC HEALTH REPORTS, reprints, or supplements should be addressed to the Surgeon General, United States Public Health Service, Washington, D. C.

II

ADDITIONAL COPIES
OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.
AT
5 CENTS PER COPY
SUBSCRIPTION PRICE, \$2.00 PER YEAR
△

CONTENTS.

	Page.
Epidemic influenza—Prevalence in the United States.....	313
Civil service examinations of interest to health officials.....	313
Lethargic encephalitis—A notifiable disease in England.....	314
Estimates of population, 1910-1917—States, Territories, counties, and cities of the United States.....	318
Deaths during week ended February 8, 1919, in cities.....	318
Favus herpeticus or mouse favus in man.....	319
The notifiable diseases—Prevalence during 1917 in States.....	320

PREVALENCE OF DISEASE.

United States:

Extra-cantonment zones—Cases reported week ended February 15.....	347
Disease conditions among troops in the United States.....	351
Current State summaries—	
Telegraphic reports for week ended February 15, 1919.....	354
Cerebrospinal meningitis—	
Cases reported in extra-cantonment zones, week ended February 15, 1919.....	356
State reports for December, 1918, and January, 1919.....	356
City reports for week ended February 1, 1919.....	356
Chancroid—	
Cases reported in extra-cantonment zones, week ended February 15, 1919.....	356
Diphtheria—	
Cases reported in extra-cantonment zones, week ended February 15, 1919.....	357
Gonorrhea—	
Cases reported in extra-cantonment zones, week ended February 15, 1919.....	357
Influenza—	
Cases reported in extra-cantonment zones, week ended February 15, 1919.....	357
Malaria—	
Cases reported in extra-cantonment zones, week ended February 15, 1919.....	358
Maryland report for January, 1919.....	358
City reports for week ended February 1, 1919.....	358
Measles—	
Cases reported in extra-cantonment zones, week ended February 15, 1919.....	358
Pellagra—	
Cases reported in extra-cantonment zones, week ended February 15, 1919.....	358
Maryland report for January, 1919.....	358
City reports for week ended February 1, 1919.....	358

United States—Continued.

	Page.
Pneumonia—	
Cases reported in extra-cantonment zones, week ended February 15, 1919.....	359
City reports for week ended February 1, 1919.....	359
Poliomyelitis (infantile paralysis)—	
Wisconsin report for January, 1919.....	360
City reports for week ended February 1, 1919.....	360
Rabies in animals—	
City reports for week ended February 1, 1919.....	361
Scarlet fever—	
Cases reported in extra-cantonment zones, week ended February 15, 1919.....	361
Smallpox—	
Cases reported in extra-cantonment zones, week ended February 15, 1919.....	361
State reports for January, 1919—Vaccination histories.....	361
State reports for December, 1918, and January, 1919.....	362
City reports for week ended February 1, 1919.....	362
Syphilis—	
Cases reported in extra-cantonment zones, week ended February 15, 1919.....	363
Tetanus—	
City reports for week ended February 1, 1919.....	363
Tuberculosis—	
Cases reported in extra-cantonment zones, week ended February 15, 1919.....	363
Typhoid fever—	
Cases reported in extra-cantonment zones, week ended February 15, 1919.....	364
State reports for December, 1918, and January, 1919.....	364
City reports for week ended February 1, 1919.....	364
Diphtheria, measles, scarlet fever, and tuberculosis—	
State reports for December, 1918, and January, 1919.....	365
City reports for week ended February 1, 1919.....	365
Foreign:	
Cuba—	
Communicable diseases—Habana.....	371
Influenza—Habana—Regla.....	371
Norway—	
Influenza—Christiania.....	371
Cholera, plague, smallpox, typhus fever, and yellow fever—	
Reports received during week ended February 21, 1919—	
Cholera.....	371
Plague.....	372
Smallpox.....	372
Typhus fever.....	373
Yellow fever.....	373
Reports received from December 28, 1918, to February 14, 1919—	
Cholera.....	373
Plague.....	374
Smallpox.....	374
Typhus fever.....	376
Yellow fever.....	376